

5000 Series

Description: Sliding Doors

Function: Entrances




Detail: Varies

Scale: 3" = 1'-0"


40 1/2" A.F.F. TO CENTER OF PULL/PUSH

49 7/8" TO CENTER OF LOCKSET

SHEET 1 OF 14






LEFT
FIXED
TRANSOM
JAMB




RIGHT
FIXED
TRANSOM
JAMB




O Over OLXO CONFIGURATION
EXTERIOR ELEVATION
(INSIDE SLIDER SHOWN
OUTSIDE SLIDER-AVAILABLE)




OOX CONFIGURATION
EXTERIOR ELEVATION
(INSIDE SLIDER SHOWN
OUTSIDE SLIDER-AVAILABLE)






XOO CONFIGURATION




OX CONFIGURATION
EXTERIOR ELEVATION
(OUTSIDE SLIDER SHOWN
INSIDE SLIDER-AVAILABLE)
(INTERIOR SCREEN)




XO CONFIGURATION



FIXED JAMB




INTERLOCKERS







LATCH JAMB


OXRO CONFIGURATION
EXTERIOR ELEVATION
(INSIDE SLIDER SHOWN
OUTSIDE SLIDER-AVAILABLE)







OLXO CONFIGURATION




OXRO CONFIGURATION
EXTERIOR ELEVATION
(OUTSIDE SLIDER SHOWN
INSIDE SLIDER-AVAILABLE)



OLXO CONFIGURATION





40 1/2" A.F.F. TO CENTER OF PULL/PUSH
49 7/8" TO CENTER OF LOCKSET

5000 Series

Description: Sliding Doors





Function: Entrances


Detail: Varies

Scale: 3" = 1'-0"

SHEET 6 OF 14

OXXO CONFIGURATION
EXTERIOR ELEVATION
(INSIDE SLIDER SHOWN
OUTSIDE SLIDER-AVAILABLE)





40 1/2" A.F.F. TO CENTER OF PULL/PUSH
49 7/8" TO CENTER OF LOCKSET

5000 Series

Description: Sliding Doors







Function: Entrances

Detail: Varies

Scale: 3" = 1'-0"


SHEET 7 OF 14

OXXO CONFIGURATION
EXTERIOR ELEVATION
(OUTSIDE SLIDER SHOWN
INSIDE SLIDER-AVAILABLE)
- HI LOAD MEETING STILE & HI LOAD INTERLOCKERS
WITH INTERIOR SCREEN PANELS






XO CONFIGURATION

EXTERIOR ELEVATION
(INSIDE SLIDER SHOWN
OUTSIDE SLIDER-AVAILABLE)
(1/4" GLAZING)




OX CONFIGURATION





1/4" Reducing Vinyl for 1" Panels Extrusion


OPTIONAL
5000 JUMBO
BOTTOM RAILS
w/ 2" B/L SILL




1/4" Reducing Vinyl for 1" Panels Extrusion




1/4" Aluminum Glass Reducer Insert for 1" Panels Extrusion



LATCH JAMB




INTERLOCKERS









FIXED JAMB

Flush
Flange
Option


XO CONFIGURATION
EXTERIOR ELEVATION
(INSIDE SLIDER SHOWN
OUTSIDE SLIDER-AVAILABLE)







OX CONFIGURATION




XOO CONFIGURATION
EXTERIOR ELEVATION
(INSIDE SLIDER SHOWN
OUTSIDE SLIDER-AVAILABLE)







OOX CONFIGURATION




XOO CONFIGURATION
EXTERIOR ELEVATION
(OUTSIDE SLIDER SHOWN
INSIDE SLIDER-AVAILABLE)











OOX CONFIGURATION



O UNIT CONFIGURATION
EXTERIOR ELEVATION



EXTERIOR



5000 Series

Description:Sliding Doors

Function: Entrances

Detail:Varies


Scale: 3" = 1'-0"

SHEET 13 OF 14

40 1/2" A.F.F. TO CENTER OF PULL/PUSH

49 7/8" TO CENTER OF LOCKSET

SERIES 5000 ACCESSORIES - OPTIONAL





40 1/2" A.F.F. TO CENTER OF PULL/PUSH
49 7/8" TO CENTER OF LOCKSET

5000 Series

Description: Sliding Doors

Function: Entrances

Detail: Varies

Scale: 3" = 1'-0"

SHEET 14 OF 14

Door Hardware Components

