




OX CONFIGURATION
EXTERIOR ELEVATION
OUTSIDE SLIDER
(INTERIOR SCREEN)





XO CONFIGURATION




1
HEAD




2
2 1/2" B/L
SILL



3
FIXED JAMB




4
INTERLOCKERS




5
LATCH JAMB


OXRO CONFIGURATION
EXTERIOR ELEVATION
OUTSIDE SLIDER





OLXO CONFIGURATION



1
HEAD




2
2 1/2" B/L
SILL




3
FIXED JAMB

4
INTERLOCKERS




5
B-JAMB




6
FIXED JAMB



OXXO CONFIGURATION
EXTERIOR ELEVATION
OUTSIDE SLIDER




1
HEAD




2
2 1/2" B/L
SILL




3
FIXED JAMB




4
INTERLOCKERS



5
MEETING STILES




6
INTERLOCKERS




7
FIXED JAMB


XOO CONFIGURATION
EXTERIOR ELEVATION
OUTSIDE SLIDER






OOX CONFIGURATION



1
HEAD




2
2 1/2" B/L
SILL







SERIES 5500 ACCESSORIES - OPTIONAL

HEAD with 2 Pc
HEAD COMP



4 1/2" HEAD



4" B/L SILL



42" A.F.F. TO CENTER OF PULL/PUSH
34" TO CENTER OF LOCKSET

5500HPT Series

Description: Sliding Doors

Function: Entrances

Detail: ALL

Scale: 3" = 1'-0"

SHEET 6 OF 6

Door Hardware Components

